



CBLP Level 1 Summer 2020

Soil Texturing Exercise

During the first online day of your upcoming CBLP Level 1 class, I will demonstrate the soil texturing technique and answer your questions. To get the most possible benefit from this exercise, I suggest you try texturing one or more samples of your own before class. Please use the handout from Kansas State University as a guide for this exercise. Once you have your sample, follow the instructions on the handout and see what results you get. Bring any questions you have with you to class.

Soil texture samples are normally collected from the layer beneath the topsoil. The topsoil is the layer or layers darkened by organic matter and is typically somewhere between 4" and 8" thick. You can texture the topsoil if you want to, but sort out any leaves, roots, sticks, etc., and beware that high organic content mimics clay. In other words, if you texture a topsoil sample it will seem to have more clay in it than it actually does.

Some ideas for where to collect soil samples: from a site you've already got soil test results for so you can compare your results to the lab results; from a project site; from your garden. You may also want to consider collecting samples from more than one site if you know where to find soils richer in sand, silt or clay, so you can get the feel for the whole textural triangle.

Looking forward to "seeing you" in class,

Sara Tangren

Judging

The word *texture* describes the roughness or smoothness of an object. Soil texture is determined by feeling the soil.

- **Soil texture** is the proportion of sand, silt, and clay in the soil.
- **Soil texture** is considered by most soil scientists to be the single most important soil property.
- **Soil texture** affects many land uses and cannot be changed without great cost and effort.

Sand, the largest particle of the soil, is visible to the eye. It is gritty, holds little water, and is not slick or sticky when wet. Sand particles are between 2 and 0.05 millimeters in diameter.

Medium-sized soil particles are called **silt**. Silt feels like flour or talcum powder. It holds moderate amounts of water and has a somewhat sticky feel when wet. Silt particles are between 0.05 and 0.002 millimeters in diameter.

The smallest particles of soil are called **clay**. Most individual clay particles can only be seen with a powerful microscope. Clay feels sticky when wet, and hard when dry. Clay is more chemically active than sand and silt. Clay particles are less than 0.002 millimeters in diameter.

How to determine soil texture by feel

Laboratory analyses of soil texture are costly and



Figure 1. Step 1: Take a handful of soil and break it up in your hand. Add water, and knead the mixture into a ball. The

take time, while feeling soil texture by hand is quick, free, and, with practice, highly accurate. The two basic steps in the texture by feel method are shown in figures 1 and 2.

After completing these two steps, and following the flow chart diagram, determine the soil textural class for your soil sample. The textural triangle organizes the textures into 12 classes. Notice that the loam textures are toward the middle of the diagram, because they contain a significant amount of sand, silt, and clay.

The term coarse-textured is often used for soils that are dominated by sand. Fine-textured refers to soils that are dominated by clay, and medium-textured soils are a more balanced mixture of sand, silt, and clay particles.

Why is soil texture important?

Soil texture is one of the most important properties to know how to measure, as it affects many other chemical, physical, and biological soil processes and properties such as the available water-holding capacity, water movement through the soil, soil strength, how easily pollutants can leach into groundwater, and the natural soil fertility.



Figure 2. Step 2: Take a pinch of soil from your texture ball. Place it in the palm of your hand, and add water. Rub the soil


mixture should have the consistency of putty or Play-Doh®. Press _____ and make a muddy puddle in your palm. How gritty does this the ball of soil between your thumb and forefinger, and try to _____ feel? make a ribbon. See how long you can make the ribbon before it breaks. Measure the ribbon length. Remember, there are 2.5 centimeters in 1 inch.

Kansas State University Agricultural Experiment Station and Cooperative Extension Service Soil


Properties	Related to	Texture		
		Coarse	Medium	Fine
Water storage		Low	Medium	High
Water movement		Low	Medium	High
Power needed for digging or tillage		Low	Medium	High
Wind or water erosion (Ease of particle detachment)		High	Medium	Low
Wind or water erosion (Ease of transport)		Low	Medium	High
Plant nutrient storage		Low	Medium	High
Contaminant movement		High	Medium	Low

Soil Textural Classes

Separate	Size (mm)
Sand	2 to 0.05
Silt	0.05 to 0.002
Clay	<0.002



Procedure for Analyzing Soil Texture by Feel



References

S.J. Thien. 1979. *A flow diagram for teaching texture-by-feel analysis*. Journal of Agronomic Education 8:54-55.

DeAnn Presley,
Extension Specialist
Assistant Professor of Agronomy

Steve Thien
Professor of Agronomy

Brand names appearing in this publication are for product identification purposes only. No endorsement is intended,

nor is criticism implied of similar products not mentioned. Persons using such products assume responsibility for their use in accordance with current label directions of the manufacturer.

Publications from Kansas State University are available on the World Wide Web at: www.oznet.ksu.edu

Contents of this publication may be freely reproduced for educational purposes. All other rights reserved. In each case, credit DeAnn Presley and Steve Thien, *Estimating Soil Texture by Feel*, Kansas State University, September 2008.

Kansas State University Agricultural Experiment Station and Cooperative Extension Service

MF-2852

September 2008

K-State Research and Extension is an equal opportunity provider and employer. Issued in furtherance of Cooperative Extension Work, Acts of May 8 and June 30, 1914, as amended. Kansas State University, County Extension Councils, Extension Districts, and United States Department of Agriculture Cooperating, Fred A. Cholick, Director.